## **CONVIV** Interface And Layout

### Dr Yann BOURET

Yann.Bouret@unice.fr

Laboratoire J. A. Dieudonné, UMR CNRS 6621, UNSA

Nice, October 15th 2009

< ∃ >

## From a Computer Point of View

## • CONVIV is written in FORTRAN.

- FORTRAN is (so far) not (really) well designed to parse input files.
- Accordingly, CONVIV can be somewhat delicate to start with.

글 > 글

## From a Computer Point of View

- CONVIV is written in FORTRAN.
- FORTRAN is (so far) not (really) well designed to parse input files.
- Accordingly, CONVIV can be somewhat delicate to start with.

## From a Computer Point of View

- CONVIV is written in FORTRAN.
- FORTRAN is (so far) not (really) well designed to parse input files.
- Accordingly, CONVIV can be somewhat delicate to start with.

- CONVIV allows to investigate the spectroscopy of a molecule through the VMFCI method.
- We need to provide CONVIV with the information about the molecule.
- We need to describe the VMFCI steps we want to take.
- And even if we are not specialist in Quantum Chemistry.
- So, we want a (smart) "black box".

- CONVIV allows to investigate the spectroscopy of a molecule through the VMFCI method.
- We need to provide CONVIV with the information about the molecule.
- We need to describe the VMFCI steps we want to take.
- And even if we are not specialist in Quantum Chemistry.
- So, we want a (smart) "black box".

- CONVIV allows to investigate the spectroscopy of a molecule through the VMFCI method.
- We need to provide CONVIV with the information about the molecule.
- We need to describe the VMFCI steps we want to take.
- And even if we are not specialist in Quantum Chemistry.
- So, we want a (smart) "black box".

- CONVIV allows to investigate the spectroscopy of a molecule through the VMFCI method.
- We need to provide CONVIV with the information about the molecule.
- We need to describe the VMFCI steps we want to take.
- And even if we are not specialist in Quantum Chemistry.
- So, we want a (smart) "black box".

- CONVIV allows to investigate the spectroscopy of a molecule through the VMFCI method.
- We need to provide CONVIV with the information about the molecule.
- We need to describe the VMFCI steps we want to take.
- And even if we are not specialist in Quantum Chemistry.
- So, we want a (smart) "black box".

Motivation Se Technologies Hu

Development of CONVIVIAL Serialization Human Interface

Sorry, I'm a C++ programmer...

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 善臣 めんぐ

## **Configuration Files Format for CONVIVIAL**

## • We chose the JSON format (JavaScript Object Notation, see http://www.json.org)

- A very simple syntax to read an write arrays or associative arrays of strings, floating point numbers, booleans,...
- It's a text format that can be modified with a simple text editor.

# Configuration Files Format for CONVIVIAL

- We chose the JSON format (JavaScript Object Notation, see http://www.json.org)
- A very simple syntax to read an write arrays or associative arrays of strings, floating point numbers, booleans,...
- It's a text format that can be modified with a simple text editor.

- 3 →

## **Configuration Files Format for CONVIVIAL**

- We chose the JSON format (JavaScript Object Notation, see http://www.json.org)
- A very simple syntax to read an write arrays or associative arrays of strings, floating point numbers, booleans,...
- It's a text format that can be modified with a simple text editor.

### • We chose the Fast Light ToolKit (http://www.fltk.org)

- A very permissive license.
- No extra dependency.
- Pre-compiled for a lot of Operating Systems.
- Used by a lot of scientific softwares:
  - open source, like ITK, the Insight Segmentation and Registration Toolkit for image analysis
  - free software, like VMD, Visual Molecular Dynamics for molecules visualization.
- CONVIVIAL runs on Win32 (XP,Vista,7), Linux, Solaris, \*BSD, MacOSX.
- Easy to hack: just unpack and 'make'.

イロト イヨト イヨト イヨト

### • We chose the Fast Light ToolKit (http://www.fltk.org)

#### • A very permissive license.

- No extra dependency.
- Pre-compiled for a lot of Operating Systems.
- Used by a lot of scientific softwares:
  - open source, like ITK, the Insight Segmentation and Registration Toolkit for image analysis
  - free software, like VMD, Visual Molecular Dynamics for molecules visualization.
- CONVIVIAL runs on Win32 (XP,Vista,7), Linux, Solaris, \*BSD, MacOSX.
- Easy to hack: just unpack and 'make'.

イロト イヨト イヨト イヨト

## • We chose the Fast Light ToolKit (http://www.fltk.org)

- A very permissive license.
- No extra dependency.
- Pre-compiled for a lot of Operating Systems.
- Used by a lot of scientific softwares:
  - open source, like ITK, the Insight Segmentation and Registration Toolkit for image analysis
  - free software, like VMD, Visual Molecular Dynamics for molecules visualization.
- CONVIVIAL runs on Win32 (XP,Vista,7), Linux, Solaris, \*BSD, MacOSX.
- Easy to hack: just unpack and 'make'.

イロト イヨト イヨト イヨト

## • We chose the Fast Light ToolKit (http://www.fltk.org)

- A very permissive license.
- No extra dependency.
- Pre-compiled for a lot of Operating Systems.
- Used by a lot of scientific softwares:
  - open source, like ITK, the Insight Segmentation and Registration Toolkit for image analysis
  - free software, like VMD, Visual Molecular Dynamics for molecules visualization.
- CONVIVIAL runs on Win32 (XP,Vista,7), Linux, Solaris, \*BSD, MacOSX.
- Easy to hack: just unpack and 'make'.

イロト イヨト イヨト イヨト

### • We chose the Fast Light ToolKit (http://www.fltk.org)

- A very permissive license.
- No extra dependency.
- Pre-compiled for a lot of Operating Systems.
- Used by a lot of scientific softwares:
  - open source, like ITK, the Insight Segmentation and Registration Toolkit for image analysis
  - free software, like VMD, Visual Molecular Dynamics for molecules visualization.
- CONVIVIAL runs on Win32 (XP,Vista,7), Linux, Solaris, \*BSD, MacOSX.
- Easy to hack: just unpack and 'make'.

글 에 시 글 어

### • We chose the Fast Light ToolKit (http://www.fltk.org)

- A very permissive license.
- No extra dependency.
- Pre-compiled for a lot of Operating Systems.
- Used by a lot of scientific softwares:
  - open source, like ITK, the Insight Segmentation and Registration Toolkit for image analysis
  - free software, like VMD, Visual Molecular Dynamics for molecules visualization.
- CONVIVIAL runs on Win32 (XP,Vista,7), Linux, Solaris, \*BSD, MacOSX.
- Easy to hack: just unpack and 'make'.

★ E ► < E ►</p>

### • We chose the Fast Light ToolKit (http://www.fltk.org)

- A very permissive license.
- No extra dependency.
- Pre-compiled for a lot of Operating Systems.
- Used by a lot of scientific softwares:
  - open source, like ITK, the Insight Segmentation and Registration Toolkit for image analysis
  - free software, like VMD, Visual Molecular Dynamics for molecules visualization.
- CONVIVIAL runs on Win32 (XP,Vista,7), Linux, Solaris, \*BSD, MacOSX.
- Easy to hack: just unpack and 'make'.

<br />

### • We chose the Fast Light ToolKit (http://www.fltk.org)

- A very permissive license.
- No extra dependency.
- Pre-compiled for a lot of Operating Systems.
- Used by a lot of scientific softwares:
  - open source, like ITK, the Insight Segmentation and Registration Toolkit for image analysis
  - free software, like VMD, Visual Molecular Dynamics for molecules visualization.

### • CONVIVIAL runs on Win32 (XP,Vista,7), Linux, Solaris, \*BSD, MacOSX.

Easy to hack: just unpack and 'make'.

### • We chose the Fast Light ToolKit (http://www.fltk.org)

- A very permissive license.
- No extra dependency.
- Pre-compiled for a lot of Operating Systems.
- Used by a lot of scientific softwares:
  - open source, like ITK, the Insight Segmentation and Registration Toolkit for image analysis
  - free software, like VMD, Visual Molecular Dynamics for molecules visualization.
- CONVIVIAL runs on Win32 (XP,Vista,7), Linux, Solaris, \*BSD, MacOSX.
- Easy to hack: just unpack and 'make'.

- 3 →